

Mike Smith

From: Nancy Lillquist
Sent: Tuesday, August 20, 2013 9:28 PM
To: Mike Smith
Cc: Ted Barkley; Bruce Tabb
Subject: LDCU comments

Mike,

Regarding the request to submit issues to you...I don't have major concerns over anything in the LDCU. The process has been a good one.

One suggestion:

There seems to be some concern with the 20 ft local street design. While I am relatively comfortable given our off street parking requirements that this will work, I find the language in 15.410.040 B2 "squishy;" who judges whether there is "available guest parking on nearby streets"? What criteria would be used? Conditions on nearby streets change over time. I would prefer the Code Committee's recommendation that an additional space per dwelling unit must be provided off-street (potentially in a community parking area, not necessarily on each lot).

Formatting and Scriveners that I noticed:

page 2-49 15.250.070 All of the other sections specify Review Type; MSP for Regional Retail could say "Special Review Process" - or something to indicate it's not just missing due to oversight.

page 2-70 15.260.100 B2a change "saud" to "said"

page 3-18 Both Heavy services and Light industry reference ECC 15.310.060 but that section number does not exist. The definition for Heavy service is 15.130.080 and Light industry is 15.130.120

page 3-24 under 2, shouldn't "Ellensburg" be capitalized?

page 3-7 15.300.050 is titled "Commercial and mixed use zones" but also includes industrial....if I were looking for the description of industrial zones, I would want to see it in a title and in the table of contents.

Thanks for all of your and Bob's work on this. It will be good to see it in use.

Nancy N. Lillquist
Ellensburg City Council
501 N. Anderson
Ellensburg, WA 98926
(509)962-7221 City Hall
(509)899-2821 cell
lillquistn@ci.ellensburg.wa.us

Messages to and from this e-mail address subject to public disclosure